INDEX TO AUTHORS

ABRAMSON, SAMUEL. See LURIE, 559

AVERY, OSWALD T., MACLEOD, COLIN M., and MCCARTY, MACLYN. Studies on the chemical nature of the substance inducing transformation of pneumococcal types. Induction of transformation by a desoxyribonucleic acid fraction isolated from Pneumococcus Type III, 137

BAKER, JAMES A. A virus causing pneumonia in cats and producing elementary bodies, 159

BECK, M. DORTHY, EATON, MONROE D., and O'DONNELL, ROSEMARY. Further laboratory studies on the classification of psittacosis-like agents, 65

BELKIN, RUTH B. See WIENER, SONN, and BELKIN, 235

BLATTNER, RUSSELL J., and HEYS, FLORENCE M. Blood-sucking vectors of encephalitis: experimental transmission of St. Louis encephalitis (Hubbard strain) to white Swiss mice by the American dog tick, *Dermacentor variabilis* Say, 439

CALDER, ROYALL M. The renal pathology of nutritional hypertension in rats, 215

CASALS, J. Immunological relationships among central nervous system viruses, 341

— and WEBSTER, L. T. Relationship of the virus of louping ill in sheep and the virus of Russian spring-summer encephalitis in man, 45

COGGESHALL, L. T. See MAIER and COGGESHALL, 401

DORFMAN, FRIEDA. See FOSTER, JONES, HENLE, and DORFMAN, 221

EATON, MONROE D., MEIKLEJOHN, GORDON, and VAN HERICK, WILLIAM. Studies on the etiology of primary atypical pneumonia. A filtrable agent transmissible to cotton rats, hamsters, and chick embryos, 649

—, MURPHY, WILLIAM D., and HANFORD, V. LEE. Heterogenetic antibodies in acute hepatitis, 539

—. See BECK, EATON, and O'DONNELL, 65

—. See NIGG and EATON, 497

ENGEL, FRANK L., HARRISON, HELEN C., and LONG, C. N. H. Biochemical studies on shock. III. The rôle of the liver and the hepatic circulation in the metabolic changes during hemorrhagic shock in the rat and the cat, 9

—. See RUSSELL, LONG, and ENGEL, 1

FOSTER, CLAIRE, JONES, JAMES H., HENLE, WERNER, and DORFMAN, FRIEDA. The effect of vitamin B_1 deficiency and of restricted food intake on the response of mice to the Lansing strain of poliomyelitis virus, 221

FRIEDEWALD, WILLIAM F. Qualitative differences in the antigenic composition of influenza A virus strains, 633

— and KIDD, JOHN G. The recoverability of virus from papillomas produced therewith in domestic rabbits, 591

— and PICKELS, EDWARD G. Centrifugation and ultrafiltration studies on allantoic fluid preparations of influenza virus, 301

—. See ROUS and FRIEDEWALD, 511

GOODELL, J. P. B., HANSON, P. C., and HAWKINS, W. B. Methionine protects against mapharsen

liver injury in protein-depleted dogs, 625
GREIFF, DONALD. See MORAGUES, PINKERTON, and GREIFF, 431

HANFORD, V. LEE. See EATON, MURPHY, and HANFORD, 539
HANSON, P. C. See GOODELL, HANSON, and HAWKINS, 625
HARRISON, HELEN C. See ENGEL, HARRISON, and LONG, 9
HAWKINS, W. B. See GOODELL, HANSON, and HAWKINS, 625
HENLE, WERNER. See FOSTER, JONES, HENLE, and DORFMAN, 221
HEYS, FLORENCE M. See BLATTNER and HEYS, 439
HORSFALL, FRANK L., JR. See ZIEGLER and HORSFALL, 361
—. See ZIEGLER, LAVIN, and HORSFALL, 379
HUANG, C. H. See VICTOR and HUANG, 129

JONES, HELEN P. See RAKE and JONES, 463
JONES, JAMES H. See FOSTER, JONES, HENLE, and DORFMAN, 221

KASS, E. H., and SEASTONE, C. V. The rôle of the mucoid polysaccharide (hyaluronic acid) in the virulence of group A hemolytic streptococci, 319
KIDD, JOHN G. See FRIEDEWALD and KIDD, 591
KNIGHT, C. A. The stability of influenza virus in the presence of salts, 285
—. Titration of influenza virus in chick embryos, 487
— and STANLEY, W. M. The effect of some chemicals on purified influenza virus, 291

LANCEFIELD, REBECCA C., and STEWART, WALTER A. Studies on the antigenic composition of group A hemolytic streptococci. II. The occurrence of strains in a given type containing M but no T antigen, 79
LANCEFIELD, REBECCA C. See STEWART, LANCEFIELD, WILSON, and SWIFT, 99
—. See WATSON and LANCEFIELD, 89
LAUFFER, MAX A., and MILLER, GAIL LORENZ. The mouse infectivity titration of influenza virus, 197
LAVIN, GEORGE I. See ZIEGLER, LAVIN, and HORSFALL, 379
LONG, C. N. H. See ENGEL, HARRISON, and LONG, 9
—. See RUSSELL, LONG, and ENGEL, 1
—. See RUSSELL, LONG, and WILHELMI, 23
LURIE, MAX B. Experimental epidemiology of tuberculosis. Hereditary resistance to attack by tuberculosis and to the ensuing disease and the effect of the concentration of tubercle bacilli upon these two phases of resistance, 573
—. Experimental epidemiology of tuberculosis. The prevention of natural air-borne contagion of tuberculosis in rabbits by ultraviolet irradiation, 559

MACLEOD, COLIN M. See AVERY, MACLEOD, and MCCARTY, 137
MADDEN, S. C., WOODS, R. R., SHULL, F. W., and WHIPPLE, G. H. Amino acid mixtures effective parenterally for long continued plasma protein production. Casein digests compared, 607
MAIER, J., and COGGESHALL, L. T. The duration of immunity to *Plasmodium knowlesi* malaria in *rhesus* monkeys, 401
MCCARTY, MACLYN. See AVERY, MACLEOD, and MCCARTY, 137
MCDONALD, MARGARET B. See BLATTNER and HEYS, 439

MEIKLEJOHN, GORDON. See EATON, MEIKLEJOHN, and VAN HERICK, 649
MILLER, GAIL LORENZ. A study of conditions for the optimum production of PR8 influenza virus in chick embryos, 173
— and STANLEY, W. M. Quantitative aspects of the red blood cell agglutination test for influenza virus, 185
—. See LAUFFER and MILLER, 197
MORAGUES, VICENTE, and PINKERTON, HENRY. Fatal murine typhus infection in the dba strain of mice, with observations on strain variation in susceptibility, 35
— and —. Variation in morbidity and mortality of murine typhus infection in mice with changes in the environmental temperature, 41
—, —, and GREIFF, DONALD. Therapeutic effectiveness of penicillin in experimental murine typhus infection in dba mice, 431
MURPHY, WILLIAM D. See EATON, MURPHY, and HANFORD, 539

NIGG, CLARA, and EATON, MONROE D. Isolation from normal mice of a pneumotropic virus which forms elementary bodies, 497

O'DONNELL, ROSEMARY. See BECK, EATON, and O'DONNELL, 65

PAGE, IRVINE H. See PLENTL and PAGE, 205
PICKELS, EDWARD G. See FRIEDEWALD and PICKELS, 301
PINKERTON, HENRY. See MORAGUES and PINKERTON, 35, 41
—. See MORAGUES, PINKERTON, and GREIFF, 431
PLENTL, ALBERT A., and PAGE, IRVINE H. The action of crystalline proteolytic enzymes on angiotonin, 205

RAKE, GEOFFREY, and JONES, HELEN P. Studies on lymphogranuloma venereum. II. The association of specific toxins with agents of the lymphogranuloma-psittacosis group, 463
ROUS, PEYTON, and FRIEDEWALD, WILLIAM F. The effect of chemical carcinogens on virus-induced rabbit papillomas, 511
RUSSELL, JANE A., LONG, C. N. H., and ENGEL, FRANK L. Biochemical studies on shock. II. The rôle of the peripheral tissues in the metabolism of protein and carbohydrate during hemorrhagic shock in the rat, 1
—, —, and WILHELMI, ALFRED E. Biochemical studies on shock. IV. The oxygen consumption of liver and kidney tissue from rats in hemorrhagic shock, 23

SEASTONE, C. V. See KASS and SEASTONE, 319
SHULL, F. W. See MADDEN, WOODS, SHULL, and WHIPPLE, 607
SKEGGS, HELEN R. See SPINK, WRIGHT, VIVINO, and SKEGGS, 331
SONN, EVE B. See WIENER, SONN, and BELKIN, 235
SPINK, WESLEY W., WRIGHT, LEMUEL D., VIVINO, JEAN J., and SKEGGS, HELEN R. Para-aminobenzoic acid production by staphylococci, 331
STANLEY, W. M. An evaluation of methods for the concentration and purification of influenza virus, 255
—. The size of influenza virus, 267
—. See KNIGHT and STANLEY, 291
—. See MILLER and STANLEY, 185
STEIN, GEORGE J. The serological diagnosis of relapsing fever, 115

STEWART, WALTER A., LANCEFIELD, REBECCA C., WILSON, ARMINE T., and SWIFT, HOMER F. Studies on the antigenic composition of group A hemolytic streptococci. IV. Related T but distinct M antigens in types 15, 17, 19, 23, 30, and in types 4, 24, 26, 28, 29, 46. Identification by slide agglutination, 99

—. See LANCEFIELD and STEWART, 79

SWIFT, HOMER F. See STEWART, LANCEFIELD, WILSON, and SWIFT, 99

TOMLINSON, HELEN. See LURIE, 559

VAN HERICK, WILLIAM. See EATON, MEIKLEJOHN, and VAN HERICK, 649

VICTOR, JOSEPH, and HUANG, C. H. Depression of anaerobic glycolysis of embryonic tissue by Western strain of equine encephalomyelitis virus. Prevention of this effect by specific immune serum, 129

VIVINO, JEAN J. See SPINK, WRIGHT, VIVINO, and SKEGGS, 331

WATSON, ROBERT F., and LANCEFIELD, REBECCA C. Studies on the antigenic composition of group A hemolytic streptococci. III. Types with serologically identical M but distinct T antigens: types 10 and 12, 89

WEBSTER, L. T. See CASALS and WEBSTER, 45

WHIPPLE, G. H. See MADDEN, WOODS, SHULL, and WHIPPLE, 607

WIENER, ALEXANDER S., SONN, EVE B., and BELKIN, RUTH B. Heredity of the Rh blood types, 235

WILHELMI, ALFRED E. See RUSSELL, LONG, and WILHELMI, 23

WILSON, ARMINE T. See STEWART, LANCEFIELD, WILSON, and SWIFT, 99

WOODS, R. R. See MADDEN, WOODS, SHULL, and WHIPPLE, 607

WRIGHT, GEORGE G. Studies on the denaturation of antibody. I. The action of urea on diphtheria antitoxin, 455

WRIGHT, LEMUEL D. See SPINK, WRIGHT, VIVINO, and SKEGGS, 331

ZIEGLER, JAMES E., JR., and HORSFALL, FRANK L., JR. Interference between the influenza viruses. I. The effect of active virus upon the multiplication of influenza viruses in the chick embryo, 361

—, LAVIN, GEORGE I., and HORSFALL, FRANK L., JR. Interference between the influenza viruses. II. The effect of virus rendered noninfective by ultraviolet radiation upon the multiplication of influenza viruses in the chick embryo, 379

INDEX TO SUBJECTS

ACID, amino, mixtures, effective parenterally for long continued plasma protein production, casein digests compared, 607
—, *p*-aminobenzoic, production by staphylococci, 331
—, desoxyribonucleic, fraction isolated from Pneumococcus Type III, inducing transformation of pneumococcal types, 137
—, hyaluronic, rôle in virulence of group A hemolytic streptococci, 319
Agglutination, slide, for identification of types of group A hemolytic streptococci, 99
— test, red blood cell, for influenza virus, quantitative aspects, 185
Agglutinogen, Rh, heredity, 235
Air-borne contagion, natural, of tuberculosis, prevention by ultraviolet irradiation, 559
Allantoic fluid preparations of influenza virus, centrifugation and ultrafiltration studies, 301
Amino acid mixtures effective parenterally for long continued plasma protein production, casein digests compared, 607
p-Aminobenzoic acid production by staphylococci, 331
Anaerobic glycolysis of embryonic tissue, depression by Western strain of equine encephalomyelitis virus, prevention by specific immune serum, 129
Angiotonin, action of crystalline proteolytic enzymes on, 205
Antibodies, heterogenetic, in acute hepatitis, 539
Antibody denaturation, action of urea on diphtheria antitoxin, 455
Antigenic composition of group A hemolytic streptococci, occurrence of strains in given type containing M but no T antigen, 79
— composition of group A hemolytic streptococci, related T but distinct M antigens in various types, identification by slide agglutination, 99
— composition of group A hemolytic streptococci, types with serologically identical M but distinct T antigens, types 10 and 12, 89
— composition of influenza A virus strains, qualitative differences, 633
Antitoxin, diphtheria, action of urea, 455

BACILLUS, tubercle, concentration, effect on hereditary resistance to attack by tuberculosis and ensuing disease, 573
Benzoic acid, *p*-amino-, production by staphylococci, 331
Biochemical studies on hemorrhagic shock, oxygen consumption of liver and kidney tissue, 23
— studies on hemorrhagic shock, rôle of liver and hepatic circulation in metabolic changes, 9
— studies on hemorrhagic shock, rôle of peripheral tissues in metabolism of protein and carbohydrate, 1
Blood corpuscle, red. *See* Erythrocyte.
— types, Rh, heredity, 235
Blood-sucking vectors of encephalitis, transmission of St. Louis encephalitis, Hubbard strain, to white Swiss mice by American dog tick, *Dermacentor variabilis* Say, 439

Bodies, elementary, isolation from mice of pneumotropic virus forming, 497
—, elementary, produced by virus causing pneumonia in cats, 159

CARBOHYDRATE and protein metabolism during hemorrhagic shock, rôle of peripheral tissues, 1
Carcinogens, chemical, effect on virus-induced rabbit papillomas, 511
Carriers, blood-sucking, of encephalitis, Hubbard strain, to white Swiss mice by American dog tick, *Dermacentor variabilis* Say, 439
Casein digests, parenterally administered, compared with amino acid mixtures for long continued plasma protein production, 607
Cats, virus causing pneumonia in and producing elementary bodies, 159
Cell, blood, red. *See* Erythrocyte.
Centrifugation and ultrafiltration studies on allantoic fluid preparations of influenza virus, 301
Chemical carcinogens, effect on virus-induced rabbit papillomas, 511
— nature of substance inducing transformation of pneumococcal types, induction of transformation by desoxyribonucleic acid fraction isolated from Pneumococcus Type III, 137
Chemicals, effect on purified influenza virus, 291
Circulation, hepatic, and liver, rôle in metabolic changes during hemorrhagic shock, 9
Corpuscle, blood, red. *See* Erythrocyte.

DEFICIENCY, vitamin B_1, and restricted food intake, effect on response of mice to Lansing strain poliomyelitis virus, 221
Dermacentor variabilis Say, transmission of St. Louis encephalitis, Hubbard strain, to white Swiss mice by, 439
Desoxyribonucleic acid fraction isolated from Pneumococcus Type III, inducing transformation of pneumococcal types, 137
Digests, casein, parenterally administered, compared with amino acid mixtures for long continued plasma protein production, 607
Diphtheria antitoxin, action of urea, 455

EMBRYO, chick, effect of influenza virus rendered non-infective by ultraviolet radiation upon multiplication of influenza viruses in, 379
—, chick, multiplication of influenza viruses in, effect of active virus, 361
Embryonic tissue, anaerobic glycolysis, depression by Western strain of equine encephalomyelitis virus, prevention by specific immune serum, 129
Embryos, chick, conditions for optimum production of PR8 influenza virus, 173
—, chick, cotton rats, and hamsters, filtrable agent of primary atypical pneumonia transmissible to, 649
—, chick, titration of influenza virus in, 487
Encephalitis, Russian spring-summer, virus in man, and louping ill virus in sheep, relation, 45
—, St. Louis, Hubbard strain, transmission to white Swiss mice by American dog tick, *Dermacentor variabilis* Say, 439
Encephalomyelitis virus, equine, Western strain, depression of anaerobic glycolysis of embryonic tissue by, prevention by specific immune serum, 129
Enzymes, proteolytic, crystalline, action on angiotonin, 205
Epidemiology, tuberculosis, hereditary resistance to attack and ensuing disease and effect of tubercle bacil-

lus concentration upon these phases of resistance, 573
Epidemiology, tuberculosis, prevention of natural air-borne contagion by ultraviolet irradiation, 559
Erythrocyte agglutination test for influenza virus, quantitative aspects, 185
Etiology of primary atypical pneumonia, filtrable agent transmissible to cotton rats, hamsters, and chick embryos, 649

FEVER, relapsing. *See* Relapsing fever.
Filtrable agent from primary atypical pneumonia transmissible to cotton rats, hamsters, and chick embryos, 649
Filtration, ultra-, and centrifugation studies on allantoic fluid preparations of influenza virus, 301
Food intake, restricted, and vitamin B_1 deficiency, effect on response of mice to Lansing strain poliomyelitis virus, 221

GLYCOLYSIS, anaerobic, of embryonic tissue, depression by Western strain of equine encephalomyelitis virus, prevention by specific immune serum, 129

HEMOLYTIC streptococci, group A, occurrence of strains in given type containing M but no T antigen, 79
— streptococci, group A, related T but distinct M antigens in various types, identification by slide agglutination, 99
— streptococci, group A, types with serologically identical M but distinct T antigens, types 10 and 12, 89
— streptococci, group A, virulence, rôle of mucoid polysaccharide, hyaluronic acid, 319
Hemorrhagic shock, oxygen consumption of liver and kidney tissue, 23
Hemorrhagic shock, rôle of liver and hepatic circulation in metabolic changes, 9
— shock, rôle of peripheral tissues in metabolism of protein and carbohydrate, 1
Hepatitis, acute, heterogenetic antibodies in, 539
Heredity of Rh blood types, 235
—, resistance to attack by tuberculosis and ensuing disease and effect of tubercle bacillus concentration upon these phases of resistance, 573
Heterogenetic antibodies in acute hepatitis, 539
Horse encephalomyelitis virus, Western strain, depression of anaerobic glycolysis of embryonic tissue by, prevention by specific immune serum, 129
Hyaluronic acid, rôle in virulence of group A hemolytic streptococci, 319
Hypertension, nutritional, renal pathology, 215

IMMUNE serum, specific, prevention of depression of anaerobic glycolysis of embryonic tissue by Western strain of equine encephalomyelitis virus by, 129
Immunity to *Plasmodium knowlesi* malaria, duration in *rhesus* monkeys, 401
Immunological relationships among central nervous system viruses, 341
Influenza virus, allantoic fluid preparations, centrifugation and ultrafiltration studies, 301
— virus, concentration and purification, evaluation of methods, 255
— virus, PR8, conditions for optimum production in chick embryos, 173
— virus, mouse infectivity titration, 197
— virus, purified, effect of chemicals, 291

Influenza virus, red blood cell agglutination test, quantitative aspects, 185
— virus, size, 267
— virus, stability in presence of salts, 285
— A virus strains, antigenic composition, qualitative differences, 633
— virus, titration in chick embryos, 487
— viruses, interference between, effect of active virus upon multiplication in chick embryo, 361
— viruses, interference between, effect of virus rendered non-infective by ultraviolet radiation upon multiplication in chick embryo, 379
Injury, liver, mapharsen, in protein-depleted dogs, methionine protects against, 625

KIDNEY and liver tissue, oxygen consumption in hemorrhagic shock, 23
— pathology of nutritional hypertension, 215

LIVER, and hepatic circulation, rôle in metabolic changes during hemorrhagic shock, 9
— injury, mapharsen, in protein-depleted dogs, methionine protects against, 625
— and kidney tissue, oxygen consumption in hemorrhagic shock, 23
Louping ill virus in sheep, and Russian spring-summer encephalitis virus in man, relation, 45
Lymphogranuloma venereum, association of specific toxins with agents of lymphogranuloma-psittacosis group, 463

MALARIA, *Plasmodium knowlesi*, duration of immunity in *rhesus* monkeys, 401
Man, Russian spring-summer encephalitis virus in, and louping ill virus in sheep, relation, 45
Mapharsen liver injury in protein-depleted dogs, methionine protects against, 625
Metabolic changes during hemorrhagic shock, rôle of liver and hepatic circulation, 9
Metabolism of protein and carbohydrate during hemorrhagic shock, rôle of peripheral tissues, 1
Methionine protects against mapharsen liver injury in protein-depleted dogs, 625
Morbidity and mortality of murine typhus infection, variation with changes in environmental temperature, 41
Mortality and morbidity of murine typhus infection, variation with changes in environmental temperature, 41

NERVOUS system, central, viruses, immunological relationships, 341
Nucleic acid, desoxyribo-, fraction isolated from Pneumococcus Type III, inducing transformation of pneumococcal types, 137
Nutritional hypertension, renal pathology, 215

OXYGEN consumption of liver and kidney tissue in hemorrhagic shock, 23

PAPILLOMAS produced with virus in domestic rabbits, recoverability of virus, 591
—, rabbit, virus-induced, effect of chemical carcinogens, 511
Pathology, renal, of nutritional hypertension, 215
Penicillin, therapeutic effectiveness in murine typhus in dba mice, 431
Plasma protein production, long continued, amino acid mixtures effective parenterally, casein digests compared, 607

Plasmodium knowlesi malaria in *rhesus* monkeys, duration of immunity, 401
Pneumococcus Type III, desoxyribonucleic acid fraction isolated from, inducing transformation of pneumococcal types, 137
Pneumonia in cats, virus producing elementary bodies and causing, 159
—, primary atypical, filtrable agent transmissible to cotton rats, hamsters, and chick embryos, 649
Pneumotropic virus which forms elementary bodies, isolation from mice, 497
Poliomyelitis virus, Lansing strain, effect of vitamin B_1 deficiency and restricted food intake on response of mice to, 221
Polysaccharide, mucoid, hyaluronic acid, rôle in virulence of group A hemolytic streptococci, 319
Protein and carbohydrate metabolism during hemorrhagic shock, rôle of peripheral tissues, 1
—, plasma, production, long continued, amino acid mixtures effective parenterally, casein digests compared, 607
Protein-depleted dogs, methionine protects against mapharsen liver injury, 625
Proteolytic enzymes, crystalline, action on angiotonin, 205
Psittacosis-like agents, classification, 65
Psittacosis-lymphogranuloma group, agents, association of specific toxins with, 463

RADIATION, ultraviolet, effect of influenza virus rendered noninfective by, upon multiplication of influenza viruses in chick embryo, 379
—, ultraviolet, prevention of natural air-borne tuberculosis contagion by, 559
Relapsing fever, serological diagnosis, 115
Renal. *See* Kidney.
Resistance, hereditary, to attack by tuberculosis and ensuing disease and effect of tubercle bacillus concentration upon these phases of resistance, 573
Russian spring-summer encephalitis virus in man and louping ill virus in sheep, relation, 45

ST. LOUIS encephalitis, Hubbard strain, transmission to white Swiss mice by American dog tick, *Dermacentor variabilis* Say, 439
Salts, stability of influenza virus in presence of, 285
Serological diagnosis of relapsing fever, 115
Serologically identical M but distinct T antigens, types 10 and 12, group A hemolytic streptococci, 89
Serum, immune, specific, prevention of depression of anaerobic glycolysis of embryonic tissue by Western strain of equine encephalomyelitis virus by, 129
Sheep, louping ill virus, and Russian spring-summer encephalitis virus in man, relation, 45
Shock, hemorrhagic, oxygen consumption of liver and kidney tissue, 23
—, hemorrhagic, rôle of liver and hepatic circulation in metabolic changes, 9
—, hemorrhagic, rôle of peripheral tissues in metabolism of protein and carbohydrate, 1
Specific immune serum, prevention of depression of anaerobic glycolysis of embryonic tissue by Western strain of equine encephalomyelitis virus by, 129
— toxins, association with agents of lymphogranuloma-psittacosis group, 463
Spring-summer encephalitis virus, Russian, in man, and louping ill virus in sheep, relation, 45
Staphylococci, *p*-aminobenzoic acid production by, 331

Streptococci, hemolytic, group A, occurrence of strains in given type containing M but no T antigen, 79
—, hemolytic, group A, related T but distinct M antigens in various types, identification by slide agglutination, 99
—, hemolytic, group A, types with serologically identical M but distinct T antigens, types 10 and 12, 89
—, hemolytic, group A, virulence, rôle of mucoid polysaccharide, hyaluronic acid, 319
Susceptibility, strain variation, in fatal murine typhus infection in dba mice, 35

TEMPERATURE, environmental, variation in morbidity and mortality in murine typhus infection with changes in, 41
Therapeutic effectiveness of penicillin in murine typhus in dba mice, 431
Tick, *Dermacentor variabilis* Say, transmission of St. Louis encephalitis, Hubbard strain, to white Swiss mice by, 439
Tissue, embryonic, anaerobic glycolysis, depression by Western strain of equine encephalomyelitis virus, prevention by specific immune serum, 129
—, liver and kidney, oxygen consumption in hemorrhagic shock, 23
Tissues, peripheral, rôle in metabolism of protein and carbohydrate during hemorrhagic shock, 1
Toxins, specific, association with agents of lymphogranuloma-psittacosis group, 463
Transmission of primary atypical pneumonia to cotton rats, hamsters, and chick embryos by filtrable agent, 649
— of St. Louis encephalitis, Hubbard strain, to white Swiss mice by American dog tick, *Dermacentor variabilis* Say, 439
Tubercle bacillus concentration, effect on hereditary resistance to attack by tuberculosis and ensuing disease, 573
Tuberculosis, epidemiology, hereditary resistance to attack and ensuing disease and effect of tubercle bacillus concentration upon these phases of resistance, 573
—, epidemiology, prevention of natural air-borne contagion by ultraviolet irradiation, 559
Typhus infection, murine, fatal, in dba mice, strain variation in susceptibility, 35
— infection, murine, in dba mice, therapeutic effectiveness of penicillin, 431
— infection, murine, variation in morbidity and mortality with changes in environmental temperature, 41

ULTRAFILTRATION and centrifugation studies on allantoic fluid preparations of influenza virus, 301
Ultraviolet irradiation, prevention of natural air-borne tuberculosis contagion by, 559
— radiation, influenza virus rendered non-infective by, effect upon multiplication of influenza viruses in chick embryo, 379
Urea, action on diphtheria antitoxin, 455

VIRULENCE, group A hemolytic streptococci, rôle of mucoid polysaccharide, hyaluronic acid, 319
Virus causing pneumonia in cats and producing elementary bodies, 159
—, equine encephalomyelitis, Western strain, depression of anaerobic glycolysis of embryonic tissue by, prevention of specific immune serum, 129
—, influenza, allantoic fluid prepara-

tions, centrifugation and ultrafiltration studies, 301
Virus, influenza, concentration and purification, evaluation of methods, 255
—, influenza, PR8, conditions for optimum production in chick embryos, 173
—, influenza, mouse infectivity titration, 197
—, influenza, purified, effect of chemicals, 291
—, influenza, red blood cell agglutination test, quantitative aspects, 185
—, influenza, size, 267
—, influenza, stability in presence of salts, 285
—, influenza, titration in chick embryos, 487
—, louping ill in sheep, and Russian spring-summer encephalitis in man, relation, 45
—, pneumotropic, which forms elementary bodies, isolation from mice, 497
—, poliomyelitis, Lansing strain, effect of vitamin B_1 deficiency and restricted food intake on response of mice to, 221
Virus, recoverability from papillomas produced therewith in domestic rabbits, 591
— strains, influenza A, antigenic composition, qualitative differences, 633
Virus-induced rabbit papillomas, effect of chemical carcinogens, 511
Viruses, central nervous system, immunological relationships, 341
—, influenza, interference between, effect of active virus upon multiplication in chick embryo, 361
—, influenza, interference between, effect of virus rendered non-infective by ultraviolet radiation upon multiplication in chick embryo, 379
Vitamin B_1 deficiency and restricted food intake, effect on response of mice to Lansing strain poliomyelitis virus, 221